Author Index

Abdullah, S., see Wainer, I.W. 694(1995)169

Abe, I., Nishiyama, T., Nakahara, T. and Frank, H.
Gas chromatographic enantiomer separation of pharmaceuticals on capillary columns coated with novel chiral polysiloxanes 694(1995)237

Abidi, S.L. and Mounts, T.L.
Separations of molecular species of phosphatidic acid by high-performance liquid chromatography 694(1995)365

Albert, K., see Baumeister, E. 694(1995)321

Albert, K., see Schmid, J. 694(1995)333

Aoki, F., see Ôi, N. 694(1995)129

Armstrong, F., see Cohen, H. 694(1995)407

Asada, M., see Ihara, T. 694(1995)49

Asakawa, N., see Matsui, K. 694(1995)209

Aturki, Z., see Fanali, S. 694(1995)297

Aue, W.A., see Thurbide, K.B. 694(1995)433

Baumeister, E., Klose, U., Albert, K., Bayer, E. and Guiochon, G.
Determination of the apparent transverse and axial dispersion coefficients in a chromatographic column by pulsed field gradient nuclear magnetic resonance 694(1995)321

Baumes, R.L., see Chassagne, D. 694(1995)441

Bayer, E., see Baumeister, E. 694(1995)321

Bayer, E., see Schmid, J. 694(1995)333

Bayonove, C.L., see Chassagne, D. 694(1995)441

Benmoussa, A., Mikou, M., Lacout, J.L. and Siouffi, A.M.
Lead phosphate hydroxyapatite high-performance liquid chromatography 694(1995)486

Blaschke, G., see Terhechte, A. 694(1995)219

Böhs, B., see Veigl, E. 694(1995)135

Böhs, B., see Veigl, E. 694(1995)151

Bullock, J.
High-temperature reversed-phase high-performance liquid chromatographic analysis of a synthetic copolymer on a non-porous support 694(1995)415

Caccamese, S., Principato, G., Ottanà, R., Previtera, T. and Zappalà, C.
Liquid chromatographic separation of the enantiomers of antihistaminic 3,3′-di(1,3-thiazolidin-4-one) derivatives with two and four stereogenic centres 694(1995)355

Caldwell, J.
Stereochemical determinants of the nature and consequences of drug metabolism 694(1995)39

Campbell, H., see Cohen, H. 694(1995)407

Caruso, J.A., see Ding, H. 694(1995)425

Cassiano, L., see Castagnola, M. 694(1995)463

Castagnola, M., Cassiano, L., Lupi, A., Messana, I., Patamia, M., Rabino, R., Rossetti, D.V. and Giardina, B.
Ion-exchange electrokinetic capillary chromatography with Starburst (pamam) dendrimers: a route towards high-performance electrokinetic capillary chromatography 694(1995)463

Chankvetadze, B., Yashima, E. and Okamoto, Y.
Dimethyl-, dichloro- and chloromethylphenylcarbamates of amylose as chiral stationary phases for high-performance liquid chromatography 694(1995)101

Chassagne, D., Crouzet, J., Baumes, R.L., Lepoutre, J.-P. and Bayonove, C.L.
Determination of trifluoroacetylated glycosides by gas chromatography coupled to methane negative chemical ionization mass spectrometry 694(1995)441

Chen, Y.-H., see Chu, C.-C. 694(1995)492

Christie, W.W., see Nikolova-Damyanova, B. 694(1995)375

Chu, C.-C., Li, S.-H. and Chen, Y.-H.
Resolution of isotoxins in the β-bungarotoxin family 694(1995)492

Cohen, H., Armstrong, F. and Campbell, H.
Sensitive fluorescence detection of robenidine by derivatization with dansyl chloride and high-performance liquid chromatography 694(1995)407

Crouzet, J., see Chassagne, D. 694(1995)441

Delgado-Zamarreño, M.M., Sanchez-Perez, A., Gomez-Perez, M.C. and Hernandez-Mendez, J.
Directly coupled sample treatment–high-performance liquid chromatography for on-line automatic determination of liposoluble vitamins in milk 694(1995)399

Ding, H., Wang, J., Dorsey, J.G. and Caruso, J.A.
Arsenic speciation by micellar liquid chromatography with inductively coupled plasma mass spectrometric detection 694(1995)425

Dobberpuhl, D.A. and Johnson, D.C.
Pulsed electrochemical detection of alkanolamines separated by multimodal high-performance liquid chromatography 694(1995)391

Dorsey, J.G., see Ding, H. 694(1995)425

Ducharme, J., see Wainer, I.W. 694(1995)169

Erim, F.B., Xu, X. and Kraak, J.C.
Application of micellar electrokinetic chromatography and indirect UV detection for the analysis of fatty acids 694(1995)471

Fanali, S. and Aturki, Z.
Use of cyclodextrins in capillary electrophoresis for the chiral resolution of some 2-arylpropionic acid non-steroidal anti-inflammatory drugs 694(1995)297

Fluck, M., see Schurig, V. 694(1995)119

Frank, H., see Abe, I. 694(1995)237

Fu, R., see Liu, Y. 694(1995)498

Fujima, H., see Nakamura, K. 694(1995)111

Gasparrini, F., Misiti, D. and Villani, C.
Behaviour of allyl aryl sulfoxides in high-performance liquid chromatography on a chiral stationary phase 694(1995)163

Giardina, B., see Castagnola, M. 694(1995)463

Gomez-Perez, M.C., see Delgado-Zamarreño, M.M. 694(1995)399

Grahn, A., see Hermansson, J. 694(1995)57

Granvil, C.P., see Wainer, I.W. 694(1995)169

Gu, J., see Liu, Y. 694(1995)498
Guiochon, G., see Baumeister, E. 694(1995)321
Haginaka, J. and Kanasugi, N.
Enantioselectivity of bovine serum albumin-bonded columns produced with isolated protein fragments 694(1995)71
Hara, S.
Foreword 694(1995)1
Hancock, W.S.
Basic Protein and Peptide Protocols (edited by J.M. Walker) (Book Review) 694(1995)515
He, J., see Shibukawa, A. 694(1995)81
Hermansson, J. and Grahn, A.
Optimization of the separation of enantiomers of basic drugs. Retention mechanisms and dynamic modification of the chiral bonding properties on an α_1-acid glycoprotein column 694(1995)57
Hernandez-Mendez, J., see Delgado-Zamarreño, M.M. 694(1995)399
Herslöf, B.G., see Nikolova-Damyanova, B. 694(1995)375
Heyer, R., see Zapf, A. 694(1995)453
Hobo, T., see Ihara, T. 694(1995)49
Horiguchi, K., see Kano, K. 694(1995)307
Horrobin, D.F., see Redden, P.R. 694(1995)381
Huang, Y.-S., see Redden, P.R. 694(1995)381
Ichida, A., see Oguni, K. 694(1995)91
Ihara, T., Sugimoto, Y., Asada, M., Nakagama, T. and Hobo, T.
Influence of the method of preparation of chiral stationary phases on enantiomer separations in high-performance liquid chromatography 694(1995)49
Ishimura, T., see Kano, K. 694(1995)307
Itoh, T. and Yamada, H.
Diastereomeric β-lactam antibiotics. Analytical methods, isomerization and stereoselective pharmacokinetics (Review) 694(1995)195
Jakubetz, H., see Schurig, V. 694(1995)119
Johnson, D.C., see Dobberpuhl, D.A. 694(1995)391
Jung, M., see Schurig, V. 694(1995)119
Kadohara, M., see Shibukawa, A. 694(1995)81
Kaida, Y., see Yashima, E. 694(1995)347
Kanasugi, N., see Haginaka, J. 694(1995)71
Kano, K., Minami, K., Horiguchi, K., Ishimura, T. and Kodera, M.
Ability of non-cyclic oligosaccharides to form molecular complexes and its use for chiral separation by capillary zone electrophoresis 694(1995)307
Kemmery, B., see Thompson, C.O. 694(1995)507
Kempe, M. and Mosbach, K.
Molecular imprinting used for chiral separations (Review) 694(1995)3
Kitagawa, H., see Nakamura, K. 694(1995)111
Kitahara, H., see Ôi, N. 694(1995)129
Klose, U., see Baumeister, E. 694(1995)321
Kodera, M., see Kano, K. 694(1995)307
Kraak, J.C., see Erim, F.B. 694(1995)471
Krametter, D., see Veigl, E. 694(1995)135
Krametter, D., see Veigl, E. 694(1995)151
Lacout, J.L., see Benmoussa, A. 694(1995)486
Lepoutre, J.-P., see Chassagne, D. 694(1995)441
Li, S., see Lloyd, D.K. 694(1995)285
Li, S.-H., see Chu, C.-C. 694(1995)492
Lin, X., see Redden, P.R. 694(1995)381
Lindner, W., see Veigl, E. 694(1995)135
Lindner, W., see Veigl, E. 694(1995)151
Lipkowitz, K.B.
Theoretical studies of type II–V chiral stationary phases (Review) 694(1995)15
Liu, Y., Fu, R. and Gu, J.
Capillary zone electrophoretic separation of proteins using a column coated with epoxy polymer 694(1995)498
Lloyd, D.K., Li, S. and Ryan, P.
Protein chiral selectors in free-solution capillary electrophoresis and packed-capillary electrochromatography 694(1995)285
Lupi, A., see Castagnola, M. 694(1995)463
Makino, K., see Nakamura, K. 694(1995)111
Mandl, A., see Veigl, E. 694(1995)135
Mandl, A., see Veigl, E. 694(1995)151
Matsui, K., Oda, Y., Ohe, H., Tanaka, S. and Asakawa, N.
Direct determination of E2020 enantiomers in plasma by liquid chromatography–mass spectrometry and column-switching techniques 694(1995)209
Mayer, S., see Schurig, V. 694(1995)119
Messana, I., see Castagnola, M. 694(1995)463
Meyer, V.R.
Liquid Chromatography for the Analyst (by R.P.W. Scott) (Book Review) 694(1995)517
Mikou, M., see Benmoussa, A. 694(1995)486
Minami, K., see Kano, K. 694(1995)307
Misiti, D., see Gasparrini, F. 694(1995)163
Miyano, S., see Yasuhara, F. 694(1995)227
Mosbach, K., see Kempe, M. 694(1995)3
Mounts, T.L., see Abidi, S.L. 694(1995)365
Naito, S., see Shibukawa, A. 694(1995)81
Nakagama, T., see Ihara, T. 694(1995)49
Nakagawa, T., see Shibukawa, A. 694(1995)81
Nakahara, T., see Abe, I. 694(1995)237
Nakamura, K., Fujima, H., Kitagawa, H., Wada, H. and Makino, K.
Preparation and chromatographic characteristics of a chiral-recognizing perphenylated cyclodextrin column 694(1995)111
Negura, S., see Schurig, V. 694(1995)119
Nikolova-Damyanova, B., Christie, W.W. and Herslöf, B.G.
Retention properties of triacylglycerols on silver ion high-performance liquid chromatography 694(1995)375
Nishi, H. and Terabe, S.
Optical resolution of drugs by capillary electrophoretic techniques (Review) 694(1995)245
Nishimura, M., see Shibukawa, A. 694(1995)81
Nishiyama, T., see Abe, I. 694(1995)237
Noguchi, H., see Tokuma, Y. 694(1995)181
Ochiai, Y., see Yasuhara, F. 694(1995)227
Oda, H., see Oguni, K. 694(1995)91
Oda, Y., see Matsui, K. 694(1995)209

Oguni, K., Oda, H. and Ichida, A.
Development of chiral stationary phases consisting of polysaccharide derivatives (Review) 694(1995)91
Ohe, H., see Matsui, K. 694(1995)209
Ôi, N., Kitahara, H. and Aoki, F.
Direct enantiomer separations by high-performance liquid chromatography with chiral urea derivatives as stationary phases 694(1995)129
Okamoto, Y., see Chankvetadze, B. 694(1995)101
Okamoto, Y., see Yashima, E. 694(1995)347
Ottanà, R., see Caccamese, S. 694(1995)355
Parenteau, H., see Wainer, I.W. 694(1995)169
Patamia, M., see Castagnola, M. 694(1995)463
Patrickios, C.S. and Patrickios, E.S.
Stoichiometric mass-action ion-exchange model. Explicit isotherms for mono-, di-, tri- and tetrameric ions 694(1995)480
Patrickios, E.S., see Patrickios, C.S. 694(1995)480
Previtera, T., see Caccamese, S. 694(1995)355
Principato, G., see Caccamese, S. 694(1995)355
Rabino, R., see Castagnola, M. 694(1995)463
Redden, P.R., Huang, Y.-S., Lin, X. and Horrobin, D.F.
Separation and quantification of the triacylglycerols in evening primrose and borage oils by reversed-phase high-performance liquid chromatography 694(1995)381
Rossetti, D.V., see Castagnola, M. 694(1995)463
Ryan, P., see Lloyd, D.K. 694(1995)285
Sanchez-Perez, A., see Delgado-Zamarreño, M.M. 694(1995)399
Schmid, J., Albert, K. and Bayer, E.
Synthesis and characterization of unsaturated bonded phases for high-performance liquid chromatography 694(1995)333
Schurig, V., Jung, M., Mayer, S., Fluck, M., Negura, S. and Jakubetz, H.
Unified enantioselective capillary chromatography on a Chirasil-DEX stationary phase. Advantages of column miniaturization 694(1995)119
Shibukawa, A., Kadohara, M., He, J., Nishimura, M., Naito, S. and Nakagawa, T.
Study of the enantioselective binding between BOF-4272 and serum albumins by means of high-performance frontal analysis 694(1995)81
Siouffi, A.M., see Benmoussa, A. 694(1995)486
Stan, H.-J., see Zapf, A. 694(1995)453
Sugimoto, Y., see Ihara, T. 694(1995)49
Takeda, M., see Yasuhara, F. 694(1995)227
Tanaka, S., see Matsui, K. 694(1995)209
Tanaka, Y. and Terabe, S.
Partial separation zone technique for the separation of enantiomers by affinity electrokinetic chromatography with proteins as chiral pseudo-stationary phases 694(1995)277
Terabe, S., see Nishi, H. 694(1995)245
Terabe, S., see Tanaka, Y. 694(1995)277
Terhechte, A. and Blaschke, G.
Investigation of the stereoselective metabolism of the chiral H_1-antihistaminic drug terfenadine by high-performance liquid chromatography 694(1995)219
Thompson, C.O., Trenerry, V.C. and Kemmery, B.
Micellar electrokinetic capillary chromatographic determination of artificial sweeteners in low-Joule soft drinks and other foods 694(1995)507
Thurbide, K.B. and Aue, W.A.
Quenching-free reactive-flow photometry 694(1995)433
Tokuma, Y. and Noguchi, H.
Stereoselective pharmacokinetics of dihydropyridine calcium antagonists (Review) 694(1995)181
Trenerry, V.C., see Thompson, C.O. 694(1995)507
Veigl, E., Böhs, B., Mandl, A., Krametter, D. and Lindner, W.
Comparison of (*S*)-N-(3,5-dinitrobenzoyl)tyrosine derivatives as chiral selectors for high-performance liquid chromatographic enantioseparations 694(1995)135
Veigl, E., Böhs, B., Mandl, A., Krametter, D. and Lindner, W.
Evaluation of silica gel-based brush type chiral cation exchangers with (*S*)-N-(3,5-dinitrobenzoyl)tyrosine as chiral selector: attempt to interpret the discouraging results 694(1995)151
Villani, C., see Gasparrini, F. 694(1995)163
Wada, H., see Nakamura, K. 694(1995)111
Wainer, I.W., Ducharme, J., Granvil, C.P., Parenteau, H. and Abdullah, S.
Using chirality as a unique probe of pharmacological properties 694(1995)169
Wang, J., see Ding, H. 694(1995)425
Xu, X., see Erim, F.B. 694(1995)471
Yamada, H., see Itoh, T. 694(1995)195
Yamada, M., see Yashima, E. 694(1995)347
Yamaguchi, S., see Yasuhara, F. 694(1995)227
Yashima, E., Yamada, M., Kaida, Y. and Okamoto, Y.
Computational studies on chiral discrimination mechanism of cellulose trisphenylcarbamate 694(1995)347
Yashima, E., see Chankvetadze, B. 694(1995)101
Yasuhara, F., Yamaguchi, S., Takeda, M., Ochiai, Y. and Miyano, S.
Gas chromatographic separation of enantiomeric amino acids and amines with α-methoxy-α-trifluoromethylpropionic acid as a chiral derivatizing agent 694(1995)227
Zapf, A., Heyer, R. and Stan, H.-J.
Rapid micro liquid–liquid extraction method for trace analysis of organic contaminants in drinking water 694(1995)453
Zappalà, C., see Caccamese, S. 694(1995)355